

Example for demonstration purposes only:

```
<updates>
  <move>
    <input httpIn="path" path="PathParameters/account" xsdBuiltInOrDerivedSimpleType="http://www.w3.org/2001/XMLSchema:string"/>
    <output httpIn="body" path="EL05164_BSB_NBR" xsdBuiltInOrDerivedSimpleType="http://www.w3.org/2001/XMLSchema:integer"/>
  </move>
  <move>
    <input httpIn="path" path="PathParameters/account" xsdBuiltInOrDerivedSimpleType="http://www.w3.org/2001/XMLSchema:string"/>
    <output httpIn="body" path="EL05857_AC_NBR" xsdBuiltInOrDerivedSimpleType="http://www.w3.org/2001/XMLSchema:integer"/>
  </move>
</updates>
```

POST.{bsb}.{account}

POST.{bsb}.{account}

SE1705P_REDEF_V01

Updates

SE1705P_REDEF_V01

<Click to filter...>

HTTP Request

<Click to filter...>

HTTP Headers

Authorization [0..1] string

Path Parameters

bsb [1..1] string

account [1..1] string

Query Parameters

Body - SE1705P_REDEF_V01

EL30169_FUND_CHK_IND [0..1] string

EL08772_DBT_CR_IND [0..1] string

EL05164_BSB_NBR [0..1] integer

EL05857_AC_NBR [0..1] integer

EL09567_REC_NAR_DSC [0..1] string

EL04077_TRN_AMT [0..1] decimal

Move

Move